

L Number	Hits	Search Text	DB	Time stamp
4	33	("4193087" "44893389" "4661811" "4737916" "4829295" "4843569" "4845643" "4852020" "4881067" "4939670" "4949388" "4953106" "4964066" "5001677" "5050222" "5073819" "5111514" "5123087" "5164996" "5179645" "5197120" "5204944" "5233357" "5258855" "5268998" "5276784" "5353393" "5357602" "5369508" "5386508" "5517578" "5568566" "5761328").PN. (("4193087" "44893389" "4661811" "4737916" "4829295" "4843569" "4845643" "4852020" "4881067" "4939670" "4949388" "4953106" "4964066" "5001677" "5050222" "5073819" "5111514" "5123087" "5164996" "5179645" "5197120" "5204944" "5233357" "5258855" "5268998" "5276784" "5353393" "5357602" "5369508" "5386508" "5517578" "5568566" "5761328").PN.) and (blueprint\$3 or (engineer\$3 near\$ drawing\$3))	USPAT	2004/09/09 11:37
5	5	USPAT: US-PGPUB 2004/09/09 11:52		
6	7	6134338.URPN. 6134338.URPN. and (blueprint\$3 or (engineer\$3 near\$ drawing\$3))	USPAT	2004/09/09 11:51
7	2	USPAT: US-PGPUB 2004/09/09 11:52		
8	0	"09900976"	USPAT: US-PGPUB 2004/09/09 12:08	
9	1	"09/900976"	USPAT: US-PGPUB 2004/09/09 12:08	
-	9288	((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/118,182) or (345/418,419,619,629,636,653)).CCLS.	USPAT: US-PGPUB 2004/09/07 12:05	
-	1436	((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/118,182) or (345/418,419,619,629,636,653)).CCLS.) and (cad\$2 or (computer\$2 adj aided adj design\$3))	USPAT: US-PGPUB 2004/09/08 12:13	
-	1427	((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/118,182) or (345/418,419,619,629,636,653)).CCLS.) and (cad\$2 or (computer\$2 adj aided adj design\$3)) and draw\$4	USPAT: US-PGPUB 2004/09/07 12:08	
-	607	((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/118,182) or (345/418,419,619,629,636,653)).CCLS.) and (cad\$2 or (computer\$2 adj aided adj design\$3)) and draw\$4 and engineer\$3	USPAT: US-PGPUB 2004/09/07 12:08	
-	88	((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/118,182) or (345/418,419,619,629,636,653)).CCLS.) and (cad\$2 or (computer\$2 adj aided adj design\$3)) and draw\$4 and engineer\$3 and (blueprint\$3 or (engineer\$3 adj drawing\$3))	USPAT: US-PGPUB 2004/09/08 12:14	
-	70	((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/118,182) or (345/418,419,619,629,636,653)).CCLS.) and (cad\$2 or (computer\$2 adj aided adj design\$3)) and draw\$4 and engineer\$3 and (blueprint\$3 or (engineer\$3 adj drawing\$3)) and @ad<20000713	USPAT: US-PGPUB 2004/09/08 12:15	
-	29	((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/118,182) or (345/418,419,619,629,636,653)).CCLS.) and (cad\$2 or (computer\$2 adj aided adj design\$3)) and draw\$4 and engineer\$3 and (blueprint\$3 or (engineer\$3 adj drawing\$3)) and @ad<20000713	USPAT: US-PGPUB 2004/09/07 12:19	
-	75	((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/118,182) or (345/418,419,619,629,636,653)).CCLS.) and (cad\$2 or (computer\$2 adj aided adj design\$3)) and draw\$4 and engineer\$3 and (blueprint\$3 or (engineer\$3 adj drawing\$3)) and @ad<20000713	USPAT: US-PGPUB 2004/09/07 12:19	
-	65	((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/118,182) or (345/418,419,619,629,636,653)).CCLS.) and (cad\$2 or (computer\$2 adj aided adj design\$3)) and draw\$4 and engineer\$3 and (blueprint\$3 or (engineer\$3 adj drawing\$3)) and @ad<20000713 or (((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/118,182) or (345/418,419,619,629,636,653)).CCLS.) and (cad\$2 or (computer\$2 adj aided adj design\$3)) and @ad<20000713 or (((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/118,182) or (345/418,419,619,629,636,653)).CCLS.) and (cad\$2 or (computer\$2 adj aided adj design\$3)) and @ad<20000713)) and (interpret\$6 or recogni\$6)	USPAT: US-PGPUB 2004/09/07 12:20	

5	(((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/18,182) or (345/418,419,619,629,636,653)) CCL.S.) and (cad\$2 or (computer\$2 adj aided adj design\$3)) and draw\$4) and engineer\$3) and (blueprint\$3 or (engineer\$3 adj drawing\$3)) and @ad<20000713) or (((382/113,141,154,190,195,203,204,217,218) or (715/502) or (706/20,45,48,54,59,61) or (700/18,182) or (345/418,419,619,629,636,653)) CCL.S.) and (cad\$2 or (computer\$2 adj aided adj design\$3)) and draw\$4) and engineer\$3) and (blueprint\$3 or (engineer\$3 adj drawing\$3)) and @rlad<20000713) and (interpret\$6 or recogni\$6) and ((interpret\$6 or recogni\$6) with (blueprint\$3 or (engineer\$3 adj drawing\$3))) (cad\$2 or (computer\$2 adj aided adj design\$3)))	USPAT; US-PGPUB	2004/09/07 12:20
31933	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 adj drawing\$3))	USPAT; US-PGPUB	2004/09/08 12:14
603	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))	USPAT; US-PGPUB	2004/09/08 12:14
778	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))	USPAT; US-PGPUB	2004/09/08 12:16
426	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) and @ad<20000713	USPAT; US-PGPUB	2004/09/08 13:38
199	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) and @rlad<20000713	USPAT; US-PGPUB	2004/09/08 12:15
505	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) and @ad<20000713) or (((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @rlad<20000713)	USPAT; US-PGPUB	2004/09/08 12:15
394	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) and @ad<20000713) or (((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @rlad<20000713) and (reconstruct\$4 or construct\$4)	USPAT; US-PGPUB	2004/09/08 13:38
232	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) and @ad<20000713) or (((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @rlad<20000713) and (reconstruct\$4 or construct\$4) and ((three adj dimension\$3) or 3d\$2)	USPAT; US-PGPUB	2004/09/08 12:18
8	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) and @ad<20000713) or (((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @rlad<20000713) and (reconstruct\$4 or construct\$4) and ((three adj dimension\$3) or 3d\$2) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) cfm.	USPAT; US-PGPUB	2004/09/08 12:19
355	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) and @ad<20000713) or (((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @rlad<20000713) and (reconstruct\$4 or construct\$4) and ((three adj dimension\$3) or 3d\$2)	USPAT; US-PGPUB	2004/09/08 12:18
298	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) and @ad<20000713) or (((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @rlad<20000713) and (reconstruct\$4 or construct\$4) and ((three adj dimension\$3) or 3d\$2)	USPAT; US-PGPUB	2004/09/08 13:11
185	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) and @ad<20000713) or (((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @rlad<20000713) and (reconstruct\$4 or construct\$4) and ((three adj dimension\$3) or 3d\$2)	USPAT; US-PGPUB	2004/09/08 12:18
6	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) and @ad<20000713) or (((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @rlad<20000713) and (reconstruct\$4 or construct\$4) and ((three adj dimension\$3) or 3d\$2)	USPAT; US-PGPUB	2004/09/08 13:37
10	((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3)) and @ad<20000713) or (((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @rlad<20000713) and (reconstruct\$4 or construct\$4) and ((three adj dimension\$3) or 3d\$2) and ((recogni\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3)))	USPAT; US-PGPUB	2004/09/08 13:11

-	4	(((((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @ad<20000713) or (((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @riad<20000713)) and (reconstruct\$4 or construct\$4) and ((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3))) not ((((((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @ad<20000713) or (((cad\$2 or (computer\$2 adj aided adj design\$3))) and (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @riad<20000713)) and (reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @riad<20000713)) and (reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and (reconstruct\$4 or construct\$4) and ((three adj dimension\$3) or 3d\$2) and ((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3)))	USPAT; US-PGPUB	2004/09/08 13:11
-	71	((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3)))	USPAT; US-PGPUB	2004/09/09 11:40
-	48	(((((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @ad<20000713	USPAT; US-PGPUB	2004/09/08 13:38
-	17	(((((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @riad<20000713	USPAT; US-PGPUB	2004/09/08 13:38
-	55	(((((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @ad<20000713) or (((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @riad<20000713)	USPAT; US-PGPUB	2004/09/08 13:38
-	2	(((((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @ad<20000713) or (((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @riad<20000713)) and (reconstruct\$4 or construct\$4) and ((three adj dimension\$3) or 3d\$2 or "3-d")	USPAT; US-PGPUB	2004/09/08 13:39
-	42	(((((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @ad<20000713) or (((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3))) and @riad<20000713)) and (reconstruct\$4 or construct\$4)	USPAT; US-PGPUB	2004/09/08 13:50
-	16	((reco\$6 or interpret\$6) with (blueprint\$3 or (engineer\$3 near5 drawing\$3)))	EPO; JPO; DERWENT	2004/09/08 14:05
-	1	"20020009223"	EPO; JPO; DERWENT	2004/09/08 14:05